NAME: TWO MEDICINE BRIDGE NUMBER: RTF-STPHS 1-3(22)2 10

YEAR: 1998

LOCATION		TREATMENT			Ruts	150'		Picture # comments
				EB		WB		
				Outer	Inner	Inner	Outer	
STATION 1		PavePrep with overlay		3.0	2.0	0.0	3.0	1
STATION 2		PavePrep with overlay		5.0	4.0	2.0	2.0	2
STATION 3		PavePrep with overlay		5.0	1.0	1.0	1.0	3
STATION 4		PavePrep with overlay		3.0	1.0	0.0	0.0	4
STATION 5		PavePrep with overlay		6.0	2.0	1.0	2.0	5
STATION 6		PavePrep with overlay		7.0	3.0	2.0	5.0	6
Cracks								
Saw cuts	7		Ave. Ruts	4.	8 2.	2 1.0	2.:	2
			Std	1.	5 1.	1 0.8	3 1.0	6

Comments

Rut measurements are in wheelpaths, however, more like a bathtub in both EB and WB rather than ruts - Problem with expansion joints bolts braking - some bolts came loose from the gaurd rail - should through posts rather than re-adhere with epoxy

NAME: TWO MEDICINE BRIDGE NUMBER: RTF-STPHS 1-3(22)2 10

YEAR: 1999

LOCATION	TREATMENT			Picture #	Comments			
			EB		WB			
			OWP	IWP	IWP	OWP		
STATION 1	PavePrep with overlay		5.0	2.0	1.0	2.0	1	
STATION 2	PavePrep with overlay		5.0	2.0	1.0	2.0	2	
STATION 3	PavePrep with overlay		5.0	3.0	2.0	3.0	3	
STATION 4	PavePrep with overlay		4.0	2.0	2.0	5.0	4	
STATION 5	PavePrep with overlay		5.0	2.0	2.0	1.0	5	
STATION 6	PavePrep with overlay		8.0	5.0	4.0	5.0	6	
<u>Cracks</u>								
Saw cuts		Ave. Ruts	5.3	2.7	2.0	3.0		
		Std	1.2	1.1	1.0	1.5		

Comments

Rut measurements are in wheelpaths, however, more like a bathtub in both EB and WB rather than ruts

Transverse cracking at east end of bridge, indicating movement

NAME: TWO MEDICINE BRIDGE NUMBER: RTF-STPHS 1-3(22)2 10

YEAR: 2000

LOCATION	TREATMENT	EB	Ruts	150' WB		Picture # comments
			lnnar		Outor	
		Outer	Inner	Inner	Outer	
STATION 1	PavePrep with overlay	2.0	1.0	1.0	1.0	
STATION 2	PavePrep with overlay	3.0	2.0	1.0	2.0	
STATION 3	PavePrep with overlay	3.0	2.0	1.0	2.0	
STATION 4	PavePrep with overlay	3.0	3.0	1.0	1.0	
STATION 5	PavePrep with overlay	3.0	3.0	1.0	1.0	
STATION 6	PavePrep with overlay	5.0	3.0	2.0	3.0	
<u>Cracks</u>						
Saw cuts	A	Ave. Ruts	3.2 2	.3 1.2	2 1.7	7
	S	Std	0.9 0	.7 0.4	0.7	7

Comments

NAME: TWO MEDICINE BRIDGE NUMBER: RTF-STPHS 1-3(22)2 10

YEAR: 2001

LOCATION	TREATMENT			Ruts	150'		Picture # comments
			EB		WB		
			Outer	Inner	Inner	Outer	
STATION 1	PavePrep with overlay		2	2	1	4	
STATION 2	PavePrep with overlay		6	3	1	2	
STATION 3	PavePrep with overlay		2	2	1	2	
STATION 4	PavePrep with overlay		4	3	2	1	
STATION 5	PavePrep with overlay		5	4	1	2	
STATION 6	PavePrep with overlay		6	4	2	3	
<u>Cracks</u>							
Saw cuts		Ave. Ruts	4	.2 3	.0 1	.3 2	.3
		Std	1	.7 0	.8 ().5 0	.9

Comments

No Transverse cracking to report, only cracks at expansion joints or transitions

NAME: TWO MEDICINE BRIDGE NUMBER: RTF-STPHS 1-3(22)2 10

YEAR: 2002

LOCATION	TREATMENT	EB	Ruts	150' WB		Picture # comments
		Outer	Inner	Inner	Outer	
STATION 1	PavePrep with overlay					
STATION 2	PavePrep with overlay					
STATION 3	PavePrep with overlay					
STATION 4	PavePrep with overlay					
STATION 5	PavePrep with overlay					
STATION 6	PavePrep with overlay					

Cracks

Saw cuts Ave. Ruts

Std

Comments